AL ADWAA
For Lighting Fixture
MADE IN CHINA

LED BULB GU10










MODEL: AD/LGU10-☐ W-☐

Application	**Luminaires designed for indoor use for commercial and Exhibition Locations, Hotels, Confrence Room, Factory, Office House, Airport, Metro Station, School, Hospital, and other Public places.**
Installation	**Recessed mount on false ceiling**
Material	**Aluminum and plastic**
Correlated Color Temperature (CCT)	**Neutral White 4000K** **Warm White 3000K**


Dimension and Mounting Details



General Specifications

POWER	D(MM)	H(MM)	LUMENS
7W	Ø50	55	560lm
9W	Ø50	68	855lm
12W	Ø50	78	1140lm

Light intensity Distribution



Technical Parameters

	AL ADWAA		
Power	7W	9W	12W
Light Source	SMD		
Color Temperature	3000K/4000K		
Input Voltage, Frequency	AC 220-240V, 50/60Hz		
Ambient Temperature (Ta)	-20...45°C		
Application	Indoor Use		
Cap Type	GU10		
Drive Type	DOB	Inside Driver	Inside Driver

GENERAL CHARACTERSTICS			
Shape	Circular		
Diffuser Type	Prismatic Lens		
Light Surface Area (cm)	4.4		
Finish	Matt		
Life Time (hours)	30,000h	50,000h	50,000h
Switching Cycles	15,000 On / OFF		

LIGHT CHARACTERSTICS			
Rated Luminous Flux	560lm	855lm	1140lm
Color Rendering Index (CRI)	>80		
Power Factor	>0.5		
Efficacy	80lm/W	95lm/W	95lm/W
Beam Angle	38°		
Lamp Type	Direct		
Color Consistency	< 6 Step MacAdam Ellipse		
Non-Dimmable Light	YES		
Lumen Maintenance	>80%		